

NEW FROM LOCKHART

CAMBRO
TRUSTED FOR GENERATIONS™

CAMSHELVING® BASIC PLUS & PREMIUM

Lifetime Guarantee Against Corrosion And Rust



HEA328 - 4 Tier 1830mm High 915mm Width With Vented Shelves, 460mm Depth


- Lifetime warranty against rust and corrosion
- Ideal for kitchens, coolers, walk-ins, or dry storage
- Simple assembly, help maximise storage space
- Made from smooth composite plastic
- Easy clean, Dishwasher safe

CAMBRO
TRUSTED FOR GENERATIONS™

BUNZL LOCKHART
Catering Equipment

LOCKHART.CO.UK
TEL: 03701 678678

- Lifetime guarantee against corrosion and rust
- Ideal for kitchens, coolers, walk-ins, or dry storage
- Shelf plates easily wipe clean or fit through a commercial dishwasher
- Antimicrobial protection permanently molded into shelf plates
- Vented shelves allow for maximum airflow around perishable products
- Designed to share posts, simplifying assembly and maximizing storage space
- Weight capacity:
 - 700 lbs. (317,5 kg) per shelf up to 48" (1220 mm)
 - 500 lbs. (226,8 kg) per shelf up to 54"-60" (1375-1525 mm)
 - Maximum 1,800 lbs. (816,5 kg) per unit
- Made from smooth composite plastic that resists peeling and scratching
- NSF Component listed
- Dishwasher safe



Unparalleled Performance and Value

Camshelving allows operators to quickly and easily create the perfect configurations for dry storage and coolers, with a lifetime guarantee against rust and corrosion. Shelf plates have molded-in antimicrobial Camguard and can be safely run through commercial dishwashers. Traverses remove easily to adjust shelf heights, one at a time, as needed.

Designed from break resistant composite plastic, holding up to 1,800 lbs (816,5 kg) per unit, with units capable of sharing a single post in a straight line without losing weight capacity. Optional corner connectors allow units to share a single post in an L-shape, U-shape, or T-shape with minimal loss in capacity. The hygienic storage solution that adapts to the operators' needs time and time again – Basics Plus Series!



Camshelving® BASIC PLUS Starter Units

4 Tier 1830mm high with vented shelves

Width	Depth 460mm	Depth 610mm
915mm	HEA328	HEA332
1070mm	HEA329	HEA333
1220mm	HEA330	HEA334
1375mm	HEF110	HEG271
1525mm	HEA331	HEA335



Camshelving® BASIC PLUS Add-On Units

4 Tier 1830mm high with vented shelves

Width	Depth 460mm	Depth 610mm
1023mm	HEG272	HEG276
1175mm	HEG273	HEG277
1328mm	HEG274	HEG278
1480mm	HEG275	HEG279



Camshelving® Basic Plus Dunnage Stands

Increase weight bearing capacity of your unit

Code	Description	Dimensions
HEG280	Low	460 x 171mm
HEG281	Low	610 x 171mm



Camshelving® BASIC PLUS Corner Connectors

Can be used to build corner and U-shape units

Code	Description
HEG282	4 sets required per 4 tier unit





Why Choose Camshelving® Premium

1

Quick & Easy To Clean

- Polypropylene smooth wipe clean surface
- Weldless construction prevents liquids and dirt getting inside crevices
- Each Camshelving® component is dishwasher safe
- HACCP compliance made simple with easy cleaning
- Embedded Camguard silver-Ion technology continuously works to suppress the growth of mould, fungus & bacteria.

2

Easy To Adjust & Configure

- Configurable to fit any size area
- Available in 5 Heights, 4 Depths and 1.2 Widths
- Shelf heights adjustable in 1100mm increments without disassembling the unit
- Easy 1-step slide together construction - Boltless system!
- Available with Level Footing, Wheels and Solid or Vented Shelves

3

Strong, Durable & Stable

- 150 to 200kg load per shelf depending on the length of the traverse
- Weight-bearing upright posts and horizontal traverses - Strong as Steel
- Unique engineering of the Post Connectors (top and bottom) provide exceptional cross stabilization
- Built-In straight lines, two shelving units can share an upright Post with no loss in weight-bearing capacity

4

Rust Free

- Polypropylene surface won't rust even when washed or placed in wet or humid environments
- Camshelving® is free from corrosion, even saltwater or sea air
- Ideal for walk-In refrigerators & freezers ($\geq -38^{\circ}\text{C}$) or wet environments
- Lifetime limited warranty against rust and corrosion for Traverses and Posts
- Rust-free environment is vital for sanitary, HACCP compliant operation

Camshelving® Premium Starter Units

4 Tier 1800mm high with vented shelves

Width	Depth 400mm	Depth 500mm	Depth 600mm
680mm	HEG286	HEG290	HEG299
780mm	HED841	HEG291	HEG300
880mm	HEG287	HEG292	HED691
980mm	HEB025	HEG293	HEB035
1080mm	HEB026	HEG294	HEB036
1180mm	HEB027	HEG295	HEB037
1280mm	HEF075	HED028	HED596
1380mm	HEB028	HEB991	HEB038
1480mm	HEC123	HEG296	HEB092
1580mm	HEB029	HEA988	HEB039
1680mm	HEG288	HEG297	HEG301
1780mm	HEG289	HEG298	HEG254



Camshelving® Premium Add-On Units

4 Tier 1800mm high with vented shelves

Width	Depth 400mm	Depth 500mm	Depth 600mm
635mm	HEF076	HEG306	HEG315
735mm	HEF077	HEG307	HEB201
835mm	HEG302	HEG308	HEB993
935mm	HEB030	HEG309	HEB040
1035mm	HEB031	HEG310	HEB041
1135mm	HEB032	HEG311	HEB042
1235mm	HEF074	HEG252	HED593
1335mm	HEB033	HEB992	HEB043
1435mm	HEG303	HEG312	HEG316
1535mm	HEB034	HEF830	HEB044
1635mm	HEG304	HEG313	HED819
1735mm	HEG305	HEG314	HEG317



Camshelving® Premium Corner Connectors

Can be used to build corner and U-shape units

Code	Description
HEB200	4 sets required per 4 tier unit

